



FIBRAMÉRICA



CATALOG

Fiber Optic Closures



FIBRAMÉRICA

Complete solutions for the intelligent development of fiber optic networks

FIBRAMÉRICA - Minqing Tancome Technology is a leading company in the design, development, manufacture and marketing of optical connectivity solutions for operators, distributors and importer installers worldwide.

With its headquarters located in China, it has offices in Shanghai and Ningbo. In the Americas, it has a strategic unit located in Brazil, where it offers commercial and technical support to customers in the same time zone and language.

Through continuous improvements in production processes, the implementation of new technologies and communication resources, FIBRAMÉRICA guarantees competitive prices, fast production times, purchasing facilities and support to follow up the manufacturing and transportation processes of the products.

All Fibramérica products are manufactured according to international quality norms and standards (ISO9001).

FIBRAMÉRICA's team is composed of specialized professionals with long experience in the telecommunications market, who work closely with customers in their stock material requirements as well as in bidding and homologation projects.

FIBRAMERICA focuses on the development of new products according to the needs of each project, from the conception, production of prototypes and technical material, to the final manufacturing of the product.

We currently have products approved by important telecommunication operators in the continent through our local distributors, both in America and Europe.





Fiber optic closures

Dome and horizontal type

FIBRAMÉRICA has a wide range of products for fiber optic splicing and distribution, always in constant growth to meet the new market needs.

In the line of splice boxes we find horizontal and vertical dome type boxes.

In the case of the horizontal models, they are ideal for the use of fiber optic links, both for aerial and subway applications, thanks to their rigid plastic resistant to UV rays, humidity and shocks.

They can have a maximum capacity of 288 splices and act as termination, splicing and/or segregation components in primary, secondary or end-point networks.

Like the horizontal boxes, the dome type models are designed to protect the fusions from any physical threat, whether underground, in pits or overhead.

The different models vary according to their capacity, Sealing Structure (heat-shrinkable or mechanical), type of plastic composition, fiber organization, among other variables.



FIBER OPTIC CLOSURES



FAB-FOSC-BDH-A4

Sealing Structure: Heat shrinkable
Capacity: 96FO
Number of ports: 4 ports
Trays: 4 trays



FAB-FOSC-BDH-A5

Sealing Structure: Heat shrinkable
Capacity: 96FO
Number of ports: 5 ports
Trays: 4 trays



FAB-FOSC-BDH-B5

Sealing Structure: Heat shrinkable
Capacity: 96FO
Number of ports: 5 ports
Trays: 4 trays



FAB-FOSC-BDH-C5

Sealing Structure: Heat shrinkable
Capacity: 288FO
Number of ports: 5 ports
Trays: 6 trays



FAB-FOSC-BDH-D7

Sealing Structure: Heat shrinkable
Capacity: 240FO
Number of ports: 7 ports
Trays: 10 trays



FAB-FOSC-BDH-H7

Sealing Structure: Heat shrinkable
Capacity: 288FO
Number of ports: 7 ports
Trays: 12 trays



FAB-FOSC-BDH-9007

Sealing Structure: Heat shrinkable
Capacity: 288FO
Number of ports: 8 ports
Trays: 4 trays



FAB-FOSC-BDH-A9

Sealing Structure: Heat shrinkable
Capacity: 144FO
Number of ports: 9 ports
Trays: 4 trays

FIBER OPTIC CLOSURES



FAB-FOSC-BDH-C17

Sealing Structure: Heat shrinkable
 Capacity: 288FO
 Number of ports: 17 ports
 Trays: 24 trays



FAB-FOSC-BDH-D5

Sealing Structure: Heat shrinkable
 Capacity: 144FO
 Number of ports: 5 ports
 Trays: 4 trays



FAB-FOSC-BDH-D7

Sealing Structure: Heat shrinkable
 Capacity: 240FO
 Number of ports: 7 ports
 Trays: 10 trays



FAB-FOSC-BDH-D576

Sealing Structure: Heat shrinkable
 Capacity: 960FO
 Number of ports: 11 ports
 Trays: 40 trays



FAB-FOSC-BDH-E5

Sealing Structure: Heat shrinkable
 Capacity: 144FO
 Number of ports: 5 ports
 Trays: 6 trays



FAB-FOSC-BDH-E8

Sealing Structure: Heat shrinkable
 Capacity: 288FO
 Number of ports: 7 ports
 Trays: 8 trays



FAB-FOSC-BDH-H7

Sealing Structure: Heat shrinkable
 Capacity: 288FO
 Number of ports: 7 ports
 Trays: 12 trays



FAB-FOSC-BDH-J4

Sealing Structure: Heat shrinkable
 Capacity: 48FO
 Number of ports: 4 ports
 Trays: 4 trays

FIBER OPTIC CLOSURES



FAB-FOSC-BDH-M6

Sealing Structure: Heat shrinkable
Capacity: 288FO
Number of ports: 6 ports
Trays: 12 trays



FAB-FOSC-BDH-M9

Sealing Structure: Heat shrinkable
Capacity: 144FO
Number of ports: 9 ports
Trays: 6 trays



FAB-FOSC-BDH-M9AX

Sealing Structure: Heat shrinkable
Capacity: 288FO
Number of ports: 7 ports
Trays: 4 trays



FAB-FOSC-BDH-N5

Sealing Structure: Heat shrinkable
Capacity: 144FO
Number of ports: 5 ports
Trays: 6 trays



FAB-FOSC-BDH-O5

Sealing Structure: Heat shrinkable
Capacity: 144FO
Number of ports: 5 ports
Trays: 6 trays



FAB-FOSC-BDH-5609

Sealing Structure: Heat shrinkable
Capacity: 48FO
Number of ports: 5 ports
Trays: 12 trays



FAB-FOSC-BDM-B4

Sealing Structure: Mechanical
Capacity: 48FO
Number of ports: 4 ports
Trays: 4 trays



FAB-FOSC-BDM-C5

Sealing Structure: Mechanical
Capacity: 144FO
Number of ports: 5 ports
Trays: 6 trays

FIBER OPTIC CLOSURES



FAB-FOSC-BDM-F6

Sealing Structure: Mechanical
Capacity: 240FO
Number of ports: 6 ports
Trays: 4 trays



FAB-FOSC-BDM-G6

Sealing Structure: Mechanical
Capacity: 288FO
Number of ports: 6 ports
Trays: 4 trays



FAB-FOSC-BDM-Z5S12

Sealing Structure: Mechanical
Capacity: 552FO
Number of ports: 5 ports
Trays: 48 trays



FIBER OPTIC CLOSURES



FAB-FOSC-BDH-M1AX

Sealing Structure: Heat shrinkable
Capacity: 144FO
Number of ports: 9 ports
Trays: 6 trays



FAB-FOSC-BDH-M6AX

Sealing Structure: Heat shrinkable
Capacity: 96FO
Number of ports: 5 ports
Trays: 4 trays



FAB-FOSC-BDM-M9AX

Sealing Structure: Mechanical
Capacity: 288FO
Number of ports: 7 ports
Trays: 12 trays



FAB-FOSC-BDM-M1AX

Sealing Structure: Mechanical
Capacity: 144FO
Number of ports: 5 ports
Trays: 6 trays



FAB-FOSC-BDH-M2AX

Sealing Structure: Heat shrinkable
Capacity: 144FO
Number of ports: 9 ports
Trays: 6 trays



FAB-FOSC-BDM-M6

Sealing Structure: Mechanical
Capacity: 144FO
Number of ports: 5 ports
Trays: 6 trays



FAB-FOSC-BDM-5822

Sealing Structure: Mechanical
Capacity: 360FO
Number of ports: 8 ports
Trays: 30 trays



FAB-FOSC-BDM-M10AX

Sealing Structure: Mechanical
Capacity: 432FO
Number of ports: 9 ports
Trays: 4 trays



FAB-FOSC-BDM-C7

Sealing Structure: Mechanical

Capacity: 144FO

No. of ports: 7 ports

No. of trays: 6 trays max.

FIBER OPTIC CLOSURES



FAB-FOSC-BIM A6

Sealing Structure: Mechanical
Capacity: 96FO
Number of ports: 6 ports
Trays: 4 trays



FAB-FOSC-BIM-B6

Sealing Structure: Mechanical
Capacity: 96FO
Number of ports: 6 ports
Trays: 4 trays



FAB-FOSC-BIM-C8

Sealing Structure: Mechanical
Capacity: 96FO
Number of ports: 8 ports
Trays: 4 trays



FAB-FOSC-BIM-D6

Sealing Structure: Mechanical
Capacity: 96FO
Number of ports: 6 ports
Trays: 4 trays



FAB-FOSC-BIM-E6

Sealing Structure: Mechanical
Capacity: 96FO
Number of ports: 6 ports
Trays: 4 trays



FAB-FOSC-BIM-F4

Sealing Structure: Mechanical
Capacity: 48FO
Number of ports: 4 ports
Trays: 2 trays



FAB-FOSC-BIM-F6

Sealing Structure: Mechanical
Capacity: 192FO
Number of ports: 8 ports
Trays: 8 trays



FAB-FOSC-BIM-B6

Sealing Structure: Mechanical
Capacity: 96FO
Number of ports: 2 ports
Trays: 4 trays

FIBER OPTIC CLOSURES



FAB-FOSC-BIM-K288S24-C

Sealing Structure: Mechanical
 Capacity: 96FO
 Number of ports: 8 ports
 Trays: 6 trays



FAB-FOSC-BIM-N6

Sealing Structure: Mechanical
 Capacity: 288FO
 Number of ports: 6 ports
 Trays: 12 trays



FAB-FOSC-BIM-P8

Sealing Structure: Mechanical
 Capacity: 48FO
 Number of ports: 8 ports
 Trays: 2 trays



FAB-FOSC-BIM-Q4

Sealing Structure: Mechanical
 Capacity: 288FO
 Number of ports: 4 ports
 Trays: 6 trays



FAB-FOSC-BIM-R4

Sealing Structure: Mechanical
 Capacity: 96FO
 Number of ports: 4 ports
 Trays: 4 trays



FAB-FOSC-BDM-S4

Sealing Structure: Mechanical
 Capacity: 96FO
 Number of ports: 4 ports
 Trays: 4 trays



FAB-FOSC-BDM-T4

Sealing Structure: Mechanical
 Capacity: 96FO
 Number of ports: 4 ports
 Trays: 4 trays



FAB-FOSC-BDM-H120-01

Sealing Structure: Mechanical
 Capacity: 120FO
 Number of ports: 6 ports
 Trays: 4 trays



FIBRAMÉRICA | Míngqíng Táncomé Technology Co., Ltd
No 42, Baijin East Road, Baijin Industrial Park,
Baizhong Town, Míngqíng County, Fuzhou, Fujian, China
Phone: +86 18621754882

America office:
Rua Arthur Max Dôose, 183, Sala 2502
Balneário Camboriú - Brasil
Phone: (+55) 47 2033 2231
Contact: comercial@fibramerica.com

www.fibramerica.com