



FIBRAMÉRICA

# FIELD TECHNICIAN EQUIPMENTS



# FIBRAMÉRICA

MINQING FIBRAMERICA TECHNOLOGY

## Complete solutions for the intelligent development of fiber optic networks

Minqing Fibramerica Technology, under its trade name FIBRAMÉRICA, is one of the world's leading companies dedicated to the design, development, manufacture, distribution and marketing of advanced optical connectivity solutions. We work closely with the main players in the telecommunications market, such as operators, distributors and importers and installers all over the world, both as OEMs and under our own brand.

Its headquarters are located in Fuzhou, Fujian, China, with sales offices in Shanghai and Ningbo. It also has direct sales units in America, located in Brazil, where all commercial and technical support is provided in Spanish through its engineers and sector specialists. This expansion not only demonstrates its global vision, but also reflects its commitment to localized customer service, providing commercial and technical assistance in the same time zone and language as our customers.

On its path to excellence, FIBRAMÉRICA has adopted a continuous focus on improving processes, integrating emerging technologies and implementing effective communication strategies. Their dedication translates into competitive prices, efficient production times and comprehensive support, from the manufacturing process to product transportation.

Following the strictest international quality norms and standards, such as ISO9001, it guarantees that each of its products meets the quality and functionality expectations of the most demanding customers.

With a vision of the future, FIBRAMÉRICA focuses its efforts on developing and adapting new products, tailored to the specificities and needs of each project, from the initial design stage to final production.





# Telecommunications Technician Tool Bag



FAB-A3

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
35*12*28cm	Black, gray, blue	100	0.65kg	50	-
39*12*28cm	Black, gray, blue	100	0.7kg	50	-



FAB-A5

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
35*12*33cm	Black	100	0.7kg	50	-
39*12*33cm	Black	100	0.8kg	50	-



FAB-D2 SMALL

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
35*11.5*28cm	Gray Coffee	100	0.6kg	50	-



FAB-D5

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
35*22*21cm	Black with blue	100	1.15kg	-	-
45*22*28cm	Black with blue	100	1.4kg	-	-
50*26*30cm	Black with blue	100	1.9kg	-	-



FAB-D8

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
28*19*21cm (Strapless)	Black with blue, yellow	100	0.5kg	-	-
34*22*25cm	Black with blue	100	1.05kg	-	-
42*23*26cm	Black with blue, yellow	100	1.25kg	-	-
47*23*30cm	Black with blue, yellow	100	1.35kg	-	-



FAB-JK-101

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
As picture size	As picture color	100	0.28kg	50	56*52*62

# Telecommunications Technician Tool Bag



FAB-JK-102

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
As picture size	As picture color	100	0.22kg	100	56*52*62



FAB-JK-103

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
60*16cm	As picture color	100	0.32kg	50	56*52*62



FAB-JK-104

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
As picture size	As picture color	100	0.22kg	100	56*52*62




FAB-JK-105

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
As picture size	As picture color	100	0.32kg	50	56*52*62



FAB-Y1

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
As picture size	Red, yellow and blue	100	0.36kg	50	56*52*62



FAB-Y2

Size (L*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
As picture size	Red, yellow and blue	100	0.36kg	50	56*52*62

# Telecommunications Technician Tool Bag



FAB-Y3

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
As picture size	Red, yellow and blue	100	0.2kg	100	56*52*62



FAB-Y4

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
As picture size	Red, yellow and blue	100	0.32kg	50	56*52*62




FAB-Y5

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
As picture size	Red, yellow and blue	100	0.4kg	33-34	56*52*62



FAB-Y6

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
As picture size	Red, yellow and blue	100	0.15kg	100	56*52*62



FAB-Y7

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
As picture size	Fruit green	100	0.35kg	50	56*52*62



FAB-D4

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
34*22*26cm	Black with blue, yellow	100	0.64kg	-	-

# Telecommunications Technician Tool Bag



FAB-A4c

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
35*10.5*28cm	Blue	100	0.46kg	-	-



FAB-D6

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
35*20*14cm	Blue	100	0.32kg	100	-



FAB-SJ1

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
As picture size	Blue	100	0.61kg	-	-



FAB-D7

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
34*22*25cm	Black with blue edges	100	1.0kg	-	-
42*23*26cm			1.35kg		
47*23*30cm			1.55kg		



FAB-SJ2

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
As picture size	Black	100	0.86kg	-	-



FAB-SC-01

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
39*28*11.5cm	Blue	100	0.4kg	-	-

# Telecommunications Technician Tool Bag



FAB-SC-01

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
39*28*11.5cm	Army green	100	0.4kg	-	-



FAB-D112

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
52*28*32cm	Army green	100	1.7kg	30	58*54*81
45*25*30cm			1.45kg		58*54*81
41*23*27cm			1.25kg		52*47*81
35*21*26cm			1.1kg		51*42*81



FAB-D113

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
51*25*31cm	Red	100	1.35kg	50	58*54*81
45*24*29cm			1.25kg	50	58*54*81
42*23*28cm			1.15kg	40	56*52*62
39*22*27cm			1.05kg	40	56*52*62



FAB-D114

Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
52*28*32cm	Red	100	1.9kg	30	58*54*81
45*25*30cm			1.45kg		58*54*81
41*23*27cm			1.3kg		52*47*81
35*21*26cm			1.05kg		51*42*81

# Telecommunications Technician Tool Bag



FAB-D9 Rubber Bottom Grey					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
35*21*26cm	Black grey	100	1.1kg	30	51*42*81
41*23*27cm			1.2kg		52*47*81
49*24*32cm			1.55kg		58*54*81

FAB-D9 Cloth Bottom					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
34*22*25cm	Black grey	100	1.1kg	50	52*47*79
42*23*26cm			1.2kg	-	-
47*23*30cm			1.25kg	-	-



FAB-D101					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
35*21*26cm	Dark green	100	1.15kg	30	51*42*81
41*23*27cm			1.35kg		52*47*81
49*24*32cm			1.7kg		58*54*81

FAB-JK201					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
35*21*26cm	Army green	100	1.1kg	30	51*42*81
41*23*27cm			1.3kg		52*47*81
49*24*32cm			1.6kg		58*54*81

# Telecommunications Technician Tool Bag



FAB-JK202					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
51*25*31cm	Khaki	100	1.35kg	50	58*54*81
45*24*29cm			1.25kg	50	58*54*81
42*23*28cm			1.15kg	40	56*52*62
39*22*27cm			1.05kg	40	56*52*62

FAB-JK203					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
52*28*32cm	Khaki	100	1.9kg	30	58*54*81
45*25*30cm			1.45kg		58*54*81
41*23*27cm			1.3kg		52*47*81
35*21*26cm			1.05kg		51*42*81



FAB-JK204					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N° of boxes	Box Size
52*28*34cm	Khaki	100	1.95kg	25	58*54*81
45*25*32cm			1.65kg		58*54*81
41*23*29cm			1.4kg		52*47*81
35*21*28cm			1.2kg		51*42*81





# Plastic Safety Helmets



**Button type**  
The difference is whether the back adjustment of the head circumference is rotary or button-type



**Knob type**

## (P) ECONOMICAL BREATHABLE MODEL

- Material: PE
- 30-month warranty
- Weight:  $\pm 280\text{g}$
- Inner lining: six-point style
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.



## (P) BREATHABLE THREE-RIB STYLE

- Material: FHABS self-developed material (*patented*)
- 30-month warranty
- Weight:  $\pm 385\text{g}$
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: The design of three-rib reinforced top ribs can disperse the impact force on the head during construction to a greater extent, and the porous heat dissipation and ventilation design makes it more comfortable to wear
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.



## (P) LUXURY BREATHABLE STYLE

- Material: FHABS self-developed material (*patented*)
- 30-month warranty
- Weight:  $\pm 390\text{g}$
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: in line with national standards. The classic V-shaped top design can disperse the impact on the head to a greater extent, and the porous heat dissipation and ventilation design is more comfortable to wear
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.



According to Chinese safety regulations, safety helmets must be affixed with a certificate of conformity, which must include the production factory information. In addition, the brim of the helmet must also have the production factory information. It is not allowed to modify it to our information.

# Plastic Safety Helmets



## (P) NATIONAL STANDARD V-SHAPED MODEL

- Material: FHABS self-developed material (*patented*)
- 30-month warranty
- Weight:  $\pm 365\text{g}$
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: The classic V-shaped top design can disperse the impact force on the head to a greater extent
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.



## (P) NATIONAL STANDARD BREATHABLE MODEL

- Material: FHABS self-developed material (*patented*)
- 30-month warranty
- Weight:  $\pm 365\text{g}$
- Inner lining: replaceable, button/knob (four-point type)
- Selling point: The V-shaped design and the elliptical or hemispherical structure of the cap shell make its surface smooth, and objects are not easy to stay when hit, but will slide off immediately, and the force borne by the impact point of the cap shell can be transmitted to the surrounding area, avoiding the stress concentration of the impact force at a certain point on the cap shell. The design of the air holes is a key factor in improving the breathability. V-shaped breathable safety helmets usually have multiple air holes on the top and sides of the cap shell, which can effectively promote air circulation, help the head dissipate heat, and reduce stuffiness and sweat accumulation.
- Application places: construction, power systems, metallurgy, petroleum and petrochemicals, etc.



## (P) EUROPEAN BREATHABLE STYLE

- Material: FHABS self-developed material (*patented*)
- 30-month warranty
- Weight:  $\pm 370\text{g}$
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: Ventilation holes are added to the top, front and sides of the helmet to allow air to flow inside the shell, effectively reducing the stuffiness of the head and maintaining comfort even when worn for a long time.
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.



## (P) DELUXE ONE-RIB STYLE

- Material: FHABS self-developed material (*patented*)
- 30-month warranty
- Weight:  $\pm 360\text{g}$
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: The one-shaped wide rib on the top is an impact-resistant and puncture-resistant protection area, which can effectively disperse and absorb the impact force from above and reduce damage to the head.
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.

# Plastic Safety Helmets



## (P) HELMET-STYLE BREATHABLE MODEL

- Material: FHABS self-developed material (*patented*)
- 30-month warranty
- Weight: ±380g
- Inner lining: replaceable, button/knob (eight-point style)
- Application places: construction, power system, metallurgy, petroleum and petro-chemical, etc.




## (P) HELMET-STYLE V-SHAPED BREATHABLE STYLE

- Material: FHABS self-developed material (*patented*)
- 30-month warranty
- Weight: ±380g
- Inner lining: replaceable, button/knob (eight-point style)
- Application places: construction, power system, metallurgy, petroleum and petro-chemical, etc.



## (P) HELMET-STYLE HIGH-END THICKENED MODEL

- Material: FHABS self-developed material (*patented*)
- 30-month warranty
- Weight: ±410g
- Inner lining: replaceable, button/knob (eight-point style)
- Application places: construction, power system, metallurgy, petroleum and petro-chemical, etc.



## (P) PAINTED HELMET-STYLE STEEL NAIL BREATHABLE MODEL

- Material: FHABS self-developed material (*patented*)
- 30-month warranty
- Weight: ±420g
- Inner lining: button (eight-point style) ·
- Application places: construction, power system, metallurgy, petroleum and petro-chemical, etc.

# Plastic Safety Helmets



## (T) GLASS FIBER REINFORCED PLASTIC BREATHABLE STYLE

- Material: Glass fiber reinforced plastic
- 42-month warranty
- Weight: ±470g
- Inner lining: button (eight-point style)
- Selling point: Aging-resistant, acid-alkali-resistant, corrosion-resistant, with excellent strength and toughness, able to withstand greater impact. At construction sites or other environments where objects may fall or collide, it can effectively protect the head from injury and reduce the degree of damage to the human body caused by accidents.
- Application places: construction, power systems, metallurgy, petroleum and petrochemicals, etc.



## (T) HIGH-END LUXURY THICKENED MODEL

- Material: ABS
- 30-month warranty
- Weight: ±430g
- Inner lining: replaceable, button/knob (four-point type)
- Selling point: It has flame retardant, insulation, lateral rigidity and other properties, effectively protecting the head from injury. For example, in industries such as construction and mining, there may be a risk of objects falling or hitting the head. ABS helmets can provide reliable safety protection for the wearer with their high strength.
- Application places: construction, power systems, metallurgy, petroleum and petrochemicals, etc.



## (T) HIGH-END LUXURY BREATHABLE STYLE

- Material: ABS
- 30-month warranty
- Weight: ±430g
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: It has flame retardant, insulation, lateral rigidity and other properties, effectively protecting the head from injury. For example, in industries such as construction and mining, there may be a risk of objects falling or hitting the head. ABS helmets can provide reliable safety protection for the wearer with their high strength.
- Application places: construction, power systems, metallurgy, petroleum and petrochemicals, etc.



## (T) HIGH-END EUROPEAN BREATHABLE STYLE

- Material: ABS
- 30-month warranty
- Weight: ±430g
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: It has flame retardant, insulation, lateral rigidity and other properties, effectively protecting the head from injury. For example, in industries such as construction and mining, there may be a risk of objects falling or hitting the head. ABS helmets can provide reliable safety protection for the wearer with their high strength.
- Application places: construction, power systems, metallurgy, petroleum and petrochemicals, etc.





# Safety Harness for Pole and Height Work



## FULL-BODY SAFETY HARNESS MOD. FAB-SH-07

- Material: high-strength polyester, galvanized steel
- Color: green
- Rope length: less than 2 meters, custom-made
- Belt width: 4.5cm
- Belt thickness: 2cm
- Waist circumference: 140cm
- Leg circumference: 80cm
- Weight: 2.8kg (including double hook safety rope)
- Load-bearing capacity: 200kg
- Tension: 25kN
- Scope of application: construction sites, power construction, exterior wall cleaning, air conditioning installation, rescue and other high-altitude operations

Item	Description
1	Reflective, single hook 1.8m without buffer
2	Reflective, double hook 1.8m without buffer
3	Reflective, single hook 1.8m with buffer
4	Reflective, double hook 1.8m with buffer
5	No reflective, single hook with buffer
6	No reflective, double hook with buffer



## ELASTIC SAFETY ROPE MOD. FAB-ESR-01

Elastic Safety Rope FAB-ESR-01 with O-hook and buffer bag, offers strong load support and shock absorption for fall protection.



## MULTI-HOOK SAFETY HARNESS MOD. FAB-SH-06-01 / -02 / -03 / -04

European-style safety harness FAB-SH-06 ensures maximum security with quick-insert hooks and customizable rope length.



## SAFETY HARNESS WITH SLING MOD. FAB-SH-05-01 / -02 / -03 / -04

Safety harness with sling FAB-SH-05 provides stable fall protection and high resistance, designed for industrial and FTTH operations.



# Reflective Safety Vest



High gloss style	
Material	80g Velcro
Color	Grass green, Orange with yellow stripes, Orange with gray stripes, Red Yellow, Light blue, Dark blue, Fluorescent yellow
MOQ	300



Zipper type	
Material	120g warp knitted fabric
Color	Orange, Red, Yellow, Green, Light blue, Dark blue, Sky blue, Fluorescent yellow
MOQ	300



Zipper shoulder clause style	
Material	120g warp knitted fabric
Color	Orange, Red, Yellow, Green, Light blue, Dark blue, Fluorescent yellow
MOQ	300



Pocket type	
Material	120g warp knitted fabric
Color	Orange, black, Red, Yellow, Grey, Green, Rose red, Light blue, Dark blue, Fluorescent yellow, Fluorescent green, Middle blue
MOQ	300



Pocket breathable style	
Material	120g warp knitted fabric
Color	Orange, Red, Yellow, Green, Light blue, Dark blue, Fluorescent yellow, Middle blue
MOQ	300



Two-color pocket stitching style	
Material	120g warp knitted fabric
Color	Orange blue, Fluorescent yellow blue
MOQ	300



# Reflective Safety Vest



Two-color stitching bag breathable style	
Material	120g warp knitted fabric
Color	Orange and blue, Fluorescent yellow and blue
MOQ	300



Sanitation style	
Material	Twill fabric
Color	Orange, Red, Yellow, Blue, Green
MOQ	300



V-type	
Material	80g warp knitted fabric
Color	Fluorescent yellow-gray stripes, Orange gray stripes
MOQ	300



Large mesh style	
Material	Polyester
Color	Red, Yellow, Orange, blue, Green, Dark blue, Fluorescent yellow
MOQ	300



Color matching highgloss reflective style	
Material	Warp knitted fabric
Color	Fluorescent green, orange
MOQ	300

## DETAILED SIZE

- L size : 66cm long, 56cm wide, can wear about 100kg
- XL size: 67cm long (one size), 57cm wide, can wear about 150kg
- XXL size: 68cm long, 61cm wide, can wear about 170kg
- XXXL size: 68cm long, 64cm wide, can wear about 190kg
- Vest size is for reference only, manual measurement may have 2-3cm error.
- L size: Length 63, Bust 53, Recommended height 160-165, Recommended weight 130-140
- XL size: length 67 (one size), width 57, can wear about 150 pounds
- 2XL size: Length 67, Bust 57, Recommended height 170-175, Recommended weight 150-170
- 3XL size: Length 69, Bust 59, Recommended height 175-180, Recommended weight 170-180
- Vest size is for reference only, manual measurement may have 2-3cm error.





Optical Time Domain Reflectometer

Main Menu

00:01:00:00 100%

OTDR OPM VFL Laser Safety AOI IL

Fiber Inspection Settings

# Fiber Optic Test Instruments and Tools



OTDR LOT5200 Series



OTDR LOT5100 Series



OTDR LOT1100



OTDR LOT2100



OTDR LOT2200 Series



OTDR LOT2200E

# Fiber Optic Test Instruments and Tools



FAB-TM293 OTDR



FAB-TM103N Optical power meter



FAB-TM191 Visual fault locator



FAB-TM501 Live fiber identifier



FAB-TM118 Fiber fusion splicer



FAB-TM27 Fiber cleaver



FAB-CHG-01 Cordless heat gun



FAB-PB-01 Series pulley block

# Fiber Optic Test Instruments and Tools



LFS-4T Fusion splicer



LFS-6T Fusion splicer



AI-20 Optical fiber fusion splicer



AI-30 Optical fiber fusion splicer



LS-3 Series laser source



LS-3 Series optical power meter



LS-3 Series optical multimeter



LP-3P PON Optical power meter

# Fiber Optic Test Instruments and Tools



LP-3PX XG-PON Optical power meter



LP-Mini



LV Series visual fault locator



LS-2 Series laser source



LP-2 Series optical power meter



LM-2 Series optical multimeter

# Fiber Optic Test Instruments and Tools



LFI-4/4V Fiber identifier



LFI-5V Fiber identifier



LT-OTS Optical talksets



Bench-top optical fiber inspection microscope



LB5500 Bench-top insertion loss and return loss test station



LB5601 Single channel bench-top mandrel free insertion and return loss test station

# Fiber Optic Test Instruments and Tools



LB5602 Dual channel bench-top mandrel free insertion and return loss test station



LB9612/9624 Bench-top mpo/mtp mandrel free insertion and return loss tester station



LFP Series Hand-held inspection probe



LFP-50 Hand-held inspection probe



LFC - 100 Fiber cleaver

# Fiber Optic Test Instruments and Tools



LFC - 200 High precision fiber cleaver



LFC-300 High precision fiber cleaver



LOC-1.25 / 1.25E / LOC-2.5 / 2.5E

One-click fiber optic



One-click MPO/MTP cleaner



Optic fiber connector cleaner



Launch fiber cable box



# Fiber Optic Tools



## FTTH DROP CABLE STRIPPER

MOD. FAB-P32

FTTH Drop Cable Stripper is used for stripping the outer jacket of FTTH Drop Cable in FTTH (fiber to the home) before FTTH Fast Field Assembly Fiber Optic Connectors are assembled.



## HIGH PRECISION FTTH CABLE STRIPPER TOOL 4 IN 1

MOD. FAB-OFS-04

Multi-functional optical fiber stripper has four patents. A pliers integrates three miller pliers, leather stripping pliers, scissors and cleaning cotton. It simplifies the carrying of toolbox items, avoids frequent tool changes in fiber stripping, improves working efficiency.



## FIBER OPTICAL STRIPPER

MOD. FAB-8PK-326

High precision FAB-8PK-326 fiber optic stripping tool fiber optic stripper for fiber optic patch cord production.



## FIBER OPTICAL STRIPPER

MOD. FAB-CFS-3

Triple hole Fiber Optic Stripper.



## BUFFER TUBE SLITTER

MOD. FAB-BT01

Buffer Tube Slitter is especially designed for stripping the outer jacket of a patch cord or a pigtail. It can slit loose tubes of 1.5mm ~ 3.3mm longitudinally. It has 4 rails on the body. Each rail is for the tube of specified diameter so that the stripping precision can be improved.



## BUFFER TUBE SLITTER

MOD. FAB-TTG03

TTG03 Buffer Tube Slitter applies open structure and five different sizes of guide slots and ten sharp blades. It can slit loose tubes of 4.5mm ~ 11mm longitudinally.





## ACROSS AND LENGTHWISE FIBER CABLE STRIPPER

MOD. FAB-TTG10A

TTG10A can do both across and lengthwise stripping. It uses unilateralism ratchet wheel to operate, so the first-time stripped cable has the symmetry hatches on both sides, as we know, the Side Fiber Cable Ripper must strip twice in the Optical Cable Cut-over with Service process, TTG10E overcomes this shortage.



## FIBER OPTICAL STRIPPER

MOD. FAB-KMS-K

KMS-K Longitudinal Cable Sheath Cutter is stored in handy plastic case with wrench for 3mm cap screw removal. It is an ideal tool in cable sheath slitting for both divided and un-divided cables. Simply turn the center axis with thumb and forefinger. 4 positions are available for different cable sheath thickness.

8mm-28mm  
单刀



4mm-10mm  
单刀



8mm-28mm  
双刀



## LONGITUDINAL, HORIZONTAL AND SPIRAL CABLE SHEATH CUTTER

MOD. FAB-TTG20

TTG20 Longitudinal, Horizontal and Spiral Cable Sheath Cutter can cut armored cable of 8mm~20mm in longitudinal, horizontal and spiral directions. The tool design is suitable for multi-core cables with sheathed or armored jackets. Its main purpose is to cut off the armor sheath of the outer layer of the cable to obtain the internal fiber optic cable.



## LONGITUDINAL FIBER CABLE SHEATH CUTTER

MOD. FAB-BT01

It is a good tool for the longitudinal stripping of optical cable in the construction and maintenance of optical cable.

# Fiber Optic Tools



## CABLE STRIPPER

MOD. FAB-PM-7B

- Second hole for stripping 2-3mm fiber jackets
- 140  $\mu$ m diameter hole and V-opening in blade allows removal of 250 micron buffer coating from 125 micron fiber
- Preset at the factory - no adjustments needed
- Will not scratch or nick glass fiber
- All stripping surfaces are manufactured to precise tolerances to assure clean, smooth strips
- Comfort-grip, ergonomic handles
- Lock to hold tool closed when it is not in user Optical Splicing Machine



## FIBER OPTIC BUFFER TUBE STRIPPER

MOD. FAB-45-162 AND 45-163

This stripper can strip the loose tube without nicking the enclosed fiber (not designed for tight buffer and coating stripping). It has an adjustable blade which can be set to any depth to help assure nick-free loose tube stripping on simplex fiber or individual loose tube in a multi-fiber cable. This grey color buffer tube stripper is designed to strip loose tube up to 1/8" in diameter. Available is the blue buffer tube stripper for coaxial cable from 1/8 inch to 7/32 inch.



## FIBER TUBE SCORER

MOD. FAB-CFS-3

The FTS precise one-step Buffer Tube Scorer has a unique design that easily scores buffer tube sizes from 1.6 mm to 6.0 mm, eliminating the need for multiple tools in your tool bag.



## ONE-CLICK FERRULE MATE CLEANER

MOD. FAB-FOC-1.25 AND FAB-FOC-2.5

Fibramerica provides high quality One-click Ferrule Mate Cleaner for 1.25mm and 2.5mm optical ferrules. As a high precision opponents, even a little contaminants on the optical ferrule can affect the performance of the whole optical transmission system. If a optical ferrule is polluted, it is hard to make it clean again in ordinary ways for the high requirements of the cleaning equipment and the little space the ferrule left for cleaning.



## FOC-MPO MPO/MTP PEN TYPE CLEANER MOD. FAB-FOC-MPO

Fibramerica provides high quality MPO/MTP Pen Type Cleaner for MT optical ferrules. As a high precision opponents, even a little contaminants on the optical ferrule can affect the performance of the whole optical transmission system. If a optical ferrule is polluted, it is hard to make it clean again in ordinary ways for the high requirements of the cleaning equipment and the little space the ferrule left for cleaning.



## KEVLAR SCISSORS MOD. FAB-KW09

Kevlar is widely used as a strength member in the patchcord and pigtail to improve the tensility. Kevlar is a high tensile material, and normal tools can hardly cut it. So, a special tool is very essential. FAB-KW-09 Kevlar Scissors are specially designed for cutting this Kevlar strength member.



## OPTICAL CONNECTOR CLEANER MOD. FAB-OCC01

The fiber optic connector cleaner is to maintain and ensure the quality of the fiber optic connector of the most important and essential accessories with which you can easily and quickly clean the entire fiber optic connector end face of the adapter, it is the best non-alcoholic cleaning method. It is a suitable optical connector end face cleaning cleaner, is easy to use, can replace cleaning tape and provides low-cost cleaning. Applicable connector models: SC, FC, MU, LC, ST, D4, DIN and so on.



## CLEANROOM ANTI-STATIC ALCOHOL DISPENSER PUMP BOTTLE MOD. FAB-BOT01

ESD dispensers are designed with perfect to dispense alcohol, acetone, isopropyl alcohol, ethanol, turpene and any other liquid applied with a swab, wipe or cotton ball. The dispenser includes a hinged lid to keep out impurities while the container is not in use. The stainless steel parts facilitate the use of aggressive solvents.

# Fiber Optic Tool Kit



## FTTH TOOL KIT 1 MOD. FAB-KITTOOL1

- 1 PC Power Meter:-70~+10dBm
- 1 PC Visual Fault Locator
- 1 PC Fiber Stripper 250um
- 1 PC Fiber Stripper for drop cable
- 1 PC Fiber Cleaver
- 1 PC Alcohol bottle
- 1 PC Holder for fast connector
- 1 PC Carrying bag



## FTTH TOOL KIT 2 MOD. FAB-KITTOOL2

- 1 PC Power Meter:-70~+10dBm
- 1 PC Visual Fault Locator
- 1 PC Fiber Stripper 250um
- 1 PC Fiber Stripper for drop cable
- 1 PC Fiber Cleaver
- 1 PC Alcohol bottle
- 1 PC Holder for fast connector
- 1 PC Carrying bag



## FTTH TOOL KIT 3 MOD. FAB-KITTOOL3

- 1 PC Power Meter:-70~+10dBm
- 1 PC Visual Fault Locator
- 1 PC Fiber Stripper 250um
- 1 PC Fiber Stripper for drop cable
- 1 PC Fiber Cleaver
- 1 PC Alcohol bottle
- 1 PC Holder for fast connector
- 1 PC Carrying bag



## FTTH TOOL KIT 4 MOD. FAB-KITTOOL4

- 1 PC Power Meter:-70~+10dBm
- 1 PC Visual Fault Locator
- 1 PC Optical Light Source
- 1 PC Fiber Cleaver
- 1 PC Fiber Stripper for drop cable
- 1 PC Fiber Stripper 250um
- 1 PC Alcohol bottle
- 1 PC Holder for fast connector
- 1 PC Carrying bag



## FTTH TOOL KIT 9 MOD. FAB-KITTOOL9

- 1 PC Power Meter:-70~+10dBm
- 1 PC Visual Fault Locator
- 1 PC Fiber Cleaver
- 1 PC Fiber Stripper for drop cable
- 1 PC Fiber Stripper
- 1 PC Alcohol bottle
- 1 PC Holder for fast connector
- 1 PC Carrying bag



## FTTH TOOL KIT 10 MOD. FAB-KITTOOL10

- 1 PC Power Meter:-70~+10dBm
- 1 PC Visual Fault Locator
- 1 PC Fiber Cleaver
- 1 PC Fiber Stripper for drop cable
- 1 PC Fiber Stripper
- 1 PC Alcohol bottle
- 1 PC Holder for fast connector
- 1 PC Carrying bag



## FTTH TOOL KIT 11 MOD. FAB-KITTOOL11

- 1 PC Power Meter:-70~+10dBm
- 1 PC Visual Fault Locator
- 1 PC Fiber Cleaver
- 1 PC Fiber Stripper for drop cable
- 1 PC Fiber Stripper
- 1 PC Alcohol bottle
- 1 PC Holder for fast connector
- 1 PC Carrying bag



## FTTH TOOL KIT 12 MOD. FAB-KITTOOL12

- 1 PC Power Meter:-70~+10dBm
- 1 PC Visual Fault Locator:10mw
- 1 PC Optical Light Source
- 1 PC Fiber Cleaver
- 1 PC Fiber Stripper for drop cable
- 1 PC Fiber Stripper 250um
- 1 PC Alcohol bottle
- 1 PC Holder for fast connector
- 1 PC Carrying bag

# Fiber Optic Tool Kit



## FTTH TOOL KIT 16 MOD. FAB-KITTOOL16

- 1 PC Power Meter:-70~+10dBm
- 1 PC Visual Fault Locator
- 1 PC Fiber Stripper 250um
- 1 PC Fiber Stripper for drop cable
- 1 PC Fiber Cleaver
- 1 PC Alcohol bottle
- 1 PC Holder for fast connector
- 1 PC Carrying bag



## FTTH TOOL KIT 17 MOD. FAB-KITTOOL17

- 1 PC Power Meter:-70~+10dBm
- 1 PC Visual Fault Locator
- 1 PC Fiber Stripper 250um
- 1 PC Fiber Stripper for drop cable
- 1 PC Fiber Cleaver
- 1 PC Alcohol bottle
- 1 PC Holder for fast connector
- 1 PC Carrying bag



## FIBER CLEANING KIT 1 MOD. FAB-KICLE1

- 1 PC Fiber Clean Cassette
- 1 PC 2.5mm One Click Cleaner Pen
- 1 PC 1.25mm One Click Cleaner Pen
- 5 PCS 2.5mm Fiber Optic Cleaning Sticks (5pcs/pouch)
- 5 PCS 1.25mm Fiber Optic Cleaning Sticks (5pcs/pouch)
- 1 PC Alcohol bottle
- 1 PC Absorb Lint Wipes
- 1 PC Carrying bag



## FIBER CLEANING KIT 2 MOD. FAB-KICLE2

- 1 PC Fiber Clean Cassette
- 1 PC 2.5mm One Click Cleaner Pen
- 1 PC 1.25mm One Click Cleaner Pen
- 5 PCS 2.5mm Fiber Optic Cleaning Sticks (5pcs/pouch)
- 5 PCS 1.25mm Fiber Optic Cleaning Sticks (5pcs/pouch)
- 1 PC Alcohol bottle
- 1 PC Absorb Lint Wipes
- 1 PC Carrying bag



## FIBER CLEANING KIT 3 MOD. FAB-KICLE3

- 1 PC Fiber Clean Cassette
- 1 PC 400x Fiber Inspection Microscope
- 1 PC 2.5mm One Click Cleaner Pen
- 1 PC 1.25mm One Click Cleaner Pen
- 2 PCS 2.5mm Fiber Optic Cleaning Sticks (5pcs/pouch)
- 2 PCS 1.25mm Fiber Optic Cleaning Sticks (5pcs/pouch)
- 2 PCS IPA Fiber Cleaning Wipes
- 1 PC Alcohol bottle
- 1 PC Carrying bag



## FIBER CLEANING KIT 5 MOD. FAB-KICLE5

- 1 PC 2.5mm One Click Cleaner Pen
- 1 PC 1.25mm One Click Cleaner Pen
- 1 PC 6 inch Diagonal Cutting Plier
- 1 PC CFS 3 Tri Hole Fiber Stripper
- 10 PCS IPA Fiber Cleaning Wipes
- 1 PC IPA Cleaning Pen
- 1 PC Carrying bag




## FIBER CLEANING KIT 7 MOD. FAB-KICLE7

- 1 PC 2.5mm One Click Cleaner Pen
- 1 PC 1.25mm One Click Cleaner Pen
- 1 PC 6 inch Diagonal Cutting Plier
- 1 PC F11301T FIS Tri Hole Fiber Stripper
- 10 PCS IPA Fiber Cleaning Wipes
- 1 PC IPA Cleaning Pen
- 1 PC Carrying bag



## FIBER CLEANING KIT 10 MOD. FAB-KICLE10

- 1 PC 2.5mm One Click Cleaner Pen
- 1 PC 1.25mm One Click Cleaner Pen
- 1 PC Fiber Clean Cassette
- 1 PC Alcohol Pump Bottle
- 8 PCS IPA Fiber Cleaning Wipes
- 1 PC Absorb Lint Wipes
- 1 PC Fiber Cleaning Wipes
- 1 PC Carrying bag





FIBRAMÉRICA

FIBRAMÉRICA | Míngqíng Fíbrameríca Technology Co., Ltd  
No 42, Baijin East Road, Baijin Industrial Park,  
Baizhong Town, Míngqíng County, Fuzhou, Fujian, China  
Phone: +86 18621754882

Office in America

Rua Arthur Max Dóse, 153, Sala 1302  
Balneário Camboriú - Brazil - Phone: (+55) 47 2033 2231  
Contact: [comercial@fbramerica.com](mailto:comercial@fbramerica.com)