





# Complete solutions for the intelligent development of fiber optic networks

Minqing Fibramerica Technology, under its trade name FIBRAMÉRICA, is one of the world's leading companies dedicated to the design, development, manufacture, distribution and marketing of advanced optical connectivity solutions. We work closely with the main players in the telecommunications market, such as operators, distributors and importers and installers all over the world, both as OEMs and under our own brand.

Its headquarters are located in Fuzhou, Fujian, China, with sales offices in Shanghai and Ningbo. It also has direct sales units in America, located in Brazil, where all commercial and technical support is provided in Spanish through its engineers and sector specialists. This expansion not only demonstrates its global vision, but also reflects its commitment to localized customer service, providing commercial and technical assistance in the same time zone and language as our customers.

On its path to excellence, FIBRAMÉRICA has adopted a continuous focus on improving processes, integrating emerging technologies and implementing effective communication strategies. Their dedication translates into competitive prices, efficient production times and comprehensive support, from the manufacturing process to product transportation.

Following the strictest international quality norms and standards, such as ISO9001, it guarantees that each of its products meets the quality and functionality expectations of the most demanding customers.

With a vision of the future, FIBRAMÉRICA focuses its efforts on developing and adapting new products, tailored to the specificities and needs of each project, from the initial design stage to final production.







FAB-A3									
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size				
35*12*28cm	Black, gray, blue	100	0.65kg	50	-				
39*12*28cm	Black, gray, blue	100	0.7kg	50	-				



FAB-A5									
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size				
35*12*33cm	Black	100	0.7kg	50	-				
39*12*33cm	Black	100	0.8kg	50	-				



FAB-D2 SMALL									
Size (L*W*H) Color MOQ Gross Weight (kg) N°. of boxes Box S									
35*11.5*28cm	Gray Coffee	100	0.6kg	50	-				



FAB-D5										
Size (L*W*H)	Color	N°. of boxes	Box Size							
35*22*21cm	Black with blue	100	1.15kg	-	-					
45*22*28cm	Black with blue	100	1.4kg	-	-					
50*26*30cm	Black with blue	100	1.9kg	-	-					



FAB-D8										
Size (L*W*H)	Color	Gross Weight (kg)	N°. of boxes	Box Size						
28*19*21cm (Strapless)	Black with blue, yellow	100	0.5kg	-	-					
34*22*25cm	Black with blue	100	1.05kg	-	-					
42*23*26cm	Black with blue, yellow	100	1.25kg	-						
47*23*30cm	Black with blue, yellow	100	1.35kg	-						



FAB-JK-101									
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size				
As picture size	As picture color	100	0.28kg	50	56*52*62				



FAB-JK-102									
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size				
As picture size	As picture color	100	0.22kg	100	56*52*62				



FAB-JK-103										
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size					
60*16cm	As picture color	100	0.32kg	50	56*52*62					




FAB-JK-104									
Size (L*W*H)	N°. of boxes	Box Size							
As picture size	As picture color	100	0.22kg	100	56*52*62				



FAB-JK-105									
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size				
As picture size	As picture color	100	0.32kg	50	56*52*62				



FAB-Y1									
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size				
As picture size	Red, yellow and blue	100	0.36kg	50	56*52*62				



FAB-Y2								
Size (L*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size			
As picture size	Red, yellow and blue	100	0.36kg	50	56*52*62			






FAB-Y3								
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size			
As picture size	Red, yellow and blue	100	0.2kg	100	56*52*62			






FAB-Y5								
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size			
As picture size	Red, yellow and blue	100	0.4kg	33-34	56*52*62			



FAB-Y7								
Size (L*W*H)	Gross Weight (kg)	N°. of boxes	Box Size					
As picture size	Fruit green	100	0.35kg	50	56*52*62			



FAB-Y4								
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size			
As picture size	Red, yellow and blue	100	0.32kg	50	56*52*62			





FAB-Y6								
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size			
As picture size	Red, yellow and blue	100	0.15kg	100	56*52*62			



FAB-D4									
Size (L*W*H) Color MOQ Gross Weight (kg) N°. of boxes Box									
34*22*26cm	Black with blue, yellow	100	0.64kg	-	-				



FAB-A4c								
Size (L*W*H) Color MOQ Gross Weight (kg) N°. of box					Box Size			
35*10.5*28cm	Blue	100	0.46kg	-	-			



FAB-D6								
Size (L*W*H) Color MOQ Gross Weight (kg) N°. of boxes								
35*20*14cm	Blue	100	0.32kg	100	-			





FAB-SJ1								
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size			
As picture size	Blue	100	0.61kg	-	-			



FAB-D7									
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size				
34*22*25cm			1.0kg						
42*23*26cm	Black with blue edges	100	1.35kg	-	-				
47*23*30cm			1.55kg						





FAB-SJ2							
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size		
As picture size	Black	100	0.86kg	-	-		



FAB-SC-01									
Size (L*W*H) Color MOQ Gross Weight (kg) N°. of boxes Bo									
39*28*11.5cm	Blue	100	0.4kg	-	-				



		FAB-S	C-01		
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
39*28*11.5cm	Army green	100	0.4kg	-	-



FAB-D112					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
52*28*32cm			1.7kg		58*54*81
45*25*30cm	Army green	100	1.45kg	30	58*54*81
41*23*27cm			1.25kg		52*47*81
35*21*26cm			1.1kg		51*42*81



FAB-D113					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
51*25*31cm			1.35kg	50	58*54*81
45*24*29cm	Red	100	1.25kg	50	58*54*81
42*23*28cm		100	1.15kg	40	56*52*62
39*22*27cm			1.05kg	40	56*52*62



	FAB-D114					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size	
52*28*32cm			1.9kg		58*54*81	
45*25*30cm	Red	100	1.45kg	30	58*54*81	
41*23*27cm			1.3kg		52*47*81	
35*21*26cm			1.05kg		51*42*81	




FAB-D9 Rubber Botton Grey					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
35*21*26cm			1.1kg	30	51*42*81
41*23*27cm	Black grey	100	1.2kg		52*47*81
49*24*32cm			1.55kg		58*54*81



	FAB-D9 Cloth Bottom					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size	
34*22*25cm			1.1kg	50	52*47*79	
42*23*26cm	Black grey	100	1.2kg	-	-	
47*23*30cm			1.25kg	-	-	







FAB-JK201					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
35*21*26cm			1.1kg		51*42*81
41*23*27cm	Army green	100	1.3kg	30	52*47*81
49*24*32cm			1.6kg		58*54*81



FAB-JK202					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
51*25*31cm			1.35kg	50	58*54*81
45*24*29cm	Khaki	100	1.25kg	50	58*54*81
42*23*28cm	Kliaki	100	1.15kg	40	56*52*62
39*22*27cm			1.05kg	40	56*52*62



FAB-JK203						
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size	
52*28*32cm			1.9kg		58*54*81	
45*25*30cm	Khaki	100	1.45kg	30	58*54*81	
41*23*27cm	кпакі	100	1.3kg		52*47*81	
35*21*26cm			1.05kg		51*42*81	



FAB-JK204					
Size (L*W*H)	Color	MOQ	Gross Weight (kg)	N°. of boxes	Box Size
52*28*34cm			1.95kg		58*54*81
45*25*32cm	Khaki	100	1.65kg	25	58*54*81
41*23*29cm			1.4kg		52*47*81
35*21*28cm			1.2kg		51*42*81











The difference is whether the back adjustment of the head circumference is rotary or button-type







- Material: PE
- 30-month warranty
- Weight: ±280g
- Inner lining: six-point style ·
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.







### (P) BREATHABLE THREE-RIB STYLE

- Material: FHABS self-developed material (patented)
- 30-month warranty
- Weight: ±385g
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: The design of three-rib reinforced top ribs can disperse the impact force on the head during construction to a greater extent, and the porous heat dissipation and ventilation design makes it more comfortable to wear
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.







### (P) LUXURY BREATHABLE STYLE

- Material: FHABS self-developed material (patented)
- 30-month warranty
- Weight: ±390g
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: in line with national standards. The classic V-shaped top design can disperse the impact on the head to a greater extent, and the porous heat dissipation and ventilation design is more comfortable to wear
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.



According to Chinese safety regulations, safety helmets must be affixed with a certificate of conformity, which must include the production factory information. In addition, the brim of the helmet must also have the production factory information. It is not allowed to modify it to our information.













### (P) NATIONAL STANDARD V-SHAPED MODEL

- Material: FHABS self-developed material (patented)
- 30-month warranty
- Weight: ±365g
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: The classic V-shaped top design can disperse the impact force on the head to a greater extent
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.







### (P) NATIONAL STANDARD BREATHABLE MODEL

- Material: FHABS self-developed material (patented)
- 30-month warranty
- Weight: ±365g
- Inner lining: replaceable, button/knob (four-point type)
- Selling point: The V-shaped design and the elliptical or hemispherical structure of the cap shell make its surface smooth, and objects are not easy to stay when hit, but will slide off immediately, and the force borne by the impact point of the cap shell can be transmitted to the surrounding area, avoiding the stress concentration of the impact force at a certain point on the cap shell. The design of the air holes is a key factor in improving the breathability. V-shaped breathable safety helmets usually have multiple air holes on the top and sides of the cap shell, which can effectively promote air circulation, help the head dissipate heat, and reduce stuffiness and sweat accumulation.
- Application places: construction, power systems, metallurgy, petroleum and petrochemicals, etc.

### (P) EUROPEAN BREATHABLE STYLE

- Material: FHABS self-developed material (patented)
- 30-month warranty
- Weight: ±370g
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: Ventilation holes are added to the top, front and sides of the helmet to allow air to flow inside the shell, effectively reducing the stuffiness of the head and maintaining comfort even when worn for a long time.
- Application places: construction, power system, metallurgy, petroleum and petrochemical etc.







### (P) DELUXE ONE-RIB STYLE

- Material: FHABS self-developed material (patented)
- 30-month warranty
- Weight: ±360g
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: The one-shaped wide rib on the top is an impact-resistant and puncture-resistant protection area, which can effectively disperse and absorb the impact force from above and reduce damage to the head.
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.













### (P) HELMET-STYLE BREATHABLE MODEL

- Material: FHABS self-developed material (patented)
- 30-month warranty
- Weight: ±380g
- Inner lining: replaceable, button/knob (eight-point style)
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.

### (P) HELMET-STYLE V-SHAPED BREATHABLE STYLE

- Material: FHABS self-developed material (patented)
- 30-month warranty
- •Weight: ±380g
- Inner lining: replaceable, button/knob (eight-point style)
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.











### (P) HELMET-STYLE HIGH-END THICKENED MODEL

- Material: FHABS self-developed material (patented)
- 30-month warranty
- Weight: ±410g
- Inner lining: replaceable, button/knob (eight-point style)
- Application places: construction, power system, metallurgy, petroleum and petrochemical, etc.

# (P) PAINTED HELMET-STYLE STEEL NAIL BREATHABLE MODEL

- Material: FHABS self-developed material (patented)
- 30-month warranty
- Weight: ±420g
- Inner lining: button (eight-point style) •
- Application places: construction, power system, metallurgy, petroleum and petrochemical. etc.





# (T) GLASS FIBER REINFORCED PLASTIC BREATHABLE STYLE

- Material: Glass fiber reinforced plastic
- 42-month warranty
- Weight: ±470g
- Inner lining: button (eight-point style)
- Selling point: Aging-resistant, acid-alkali-resistant, corrosionresistant, with excellent strength and toughness, able to withstand greater impact. At construction sites or other environments where objects may fall or collide, it can effectively protect the head from injury and reduce the degree of damage to the human body caused by accidents.
- Application places: construction, power systems, metallurgy, petroleum and petrochemicals, etc.







### (T) HIGH-END LUXURY THICKENED MODEL

- Material: ABS
- 30-month warranty
- Weight: ±430g
- Inner lining: replaceable, button/knob (four-point type)
- Selling point: It has flame retardant, insulation, lateral rigidity and other properties, effectively protecting the head from injury. For example, in industries such as construction and mining, there may be a risk of objects falling or hitting the head. ABS helmets can provide reliable safety protection for the wearer with their high strength.
- Application places: construction, power systems, metallurgy, petroleum and petrochemicals, etc.







### (T) HIGH-END LUXURY BREATHABLE STYLE

- Material: ABS
- 30-month warranty
- Weight: ±430g
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: It has flame retardant, insulation, lateral rigidity and other properties, effectively protecting the head from injury. For example, in industries such as construction and mining, there may be a risk of objects falling or hitting the head. ABS helmets can provide reliable safety protection for the wearer with their high strength.
- Application places: construction, power systems, metallurgy, petroleum and petrochemicals, etc.







### (T) HIGH-END EUROPEAN BREATHABLE STYLE

- Material: ABS
- 30-month warranty
- Weight: ±430g
- Inner lining: replaceable, button/knob (four-point style)
- Selling point: It has flame retardant, insulation, lateral rigidity and other properties, effectively protecting the head from injury. For example, in industries such as construction and mining, there may be a risk of objects falling or hitting the head. ABS helmets can provide reliable safety protection for the wearer with their high strength.
- Application places: construction, power systems, metallurgy, petroleum and petrochemicals, etc.





## Safety Harness for Pole and Height Work





MOD, FAB-SH-07

- Material: high-strength polyester, galvanized steel
- Color: green
- Rope length: less than 2 meters, custom-made
- Belt width: 4.5cm
- Belt thickness: 2cm
- Waist circumference: 140cm
- Leg circumference: 80cm
- Weight: 2.8kg (including double hook safety rope
- Load-bearing capacity: 200kg
- Tension: 25kN
- Scope of application: construction sites, power construction, exterior wall cleaning, air conditioning installation, rescue and other high-altitude operations

Item	Description
1	Reflective, single hook 1.8m without buffer
2	Reflective, double hook 1.8m without buffer
3	Reflective, single hook 1.8m with buffer
4	Reflective, double hook 1.8m with buffer
5	No reflective, single hook with buffer
6	No reflective, double hook with buffer



### **ELASTIC SAFETY ROPE**

MOD. FAB-ESR-01

Elastic Safety Rope FAB-ESR-01 with O-hook and buffer bag, offers strong load support and shock absorption for fall protection.





### **MULTI-HOOK SAFETY HARNESS**

MOD. FAB-SH-06-01/-02/-03/-04


European-style safety harness FAB-SH-06 ensures maximum security with quick-insert hooks and customizable rope length.



### SAFETY HARNESS WITH SLING

MOD. FAB-SH-05-01 / -02 / -03 / -04

Safety harness with sling FAB-SH-05 provides stable fall protection and high resistance, designed for industrial and FTTH operations.



## **Reflective Safety Vest**



High gloss style				
Material	80g Velcro			
Color	Grass green, Orange with yellow stripes, Orange with gray stripes, Red Yellow, Light blue, Dark blue, Fluorescent yellow			
MOQ	300			
W-W 00 00 00				

	Zipper type
Material	120g warp knitted fabric
Color	Orange, Red, Yellow, Green, Light blue, Dark blue, Sky blue, Fluorescent yellow
MOQ	300







Z	ipper shoulder clause style
Material	120g warp knitted fabric
Color	Orange, Red, Yellow, Green, Light blue, Dark blue, Fluorescent yellow
MOQ	300



120g warp knitted fabric
Orange, black, Red, Yellow, Grey, Green, Rose red, Light blue, Dark blue, Fluorescent yellow, Fluorescent green, Middle blue
300
** ** ** **





Pocket breathable style	
Material	120g warp knitted fabric
Color	Orange, Red, Yellow, Green, Light blue, Dark blue, Fluorescent yellow, Middle blue
MOQ	300



Two	o-color pocket stitching style
Material	120g warp knitted fabric
Color	Orange blue, Fluorescent yellow blue
MOQ	300






## **Reflective Safety Vest**



Two-color stitching bag breathable style	
Material	120g warp knitted fabric
Color	Orange and blue, Fluorescent yellow and blue
MOQ	300









	V-type
Material	80g warp knitted fabric
Color	Fluorescent yellow-gray stripes, Orange gray stripes
MOQ	300











Color m	Color matching highgloss reflective style	
Material	Warp knitted fabric	
Color	Fluorescent green, orange	
MOQ	300	

### **DETAILED SIZE**

- L size: 66cm long, 56cm wide, can wear about 100kg
- XL size: 67cm long (one size), 57cm wide, can wear about 150kg
- XXL size: 68cm long, 61cm wide, can wear about 170kg
- XXXL size: 68cm long, 64cm wide, can wear about 190kg
- Vest size is for reference only, manual measurement may have 2-3cm error.
- L size: Length 63, Bust 53, Recommended height 160-165, Recommended weight 130-140
- XL size: length 67 (one size), width 57, can wear about 150 pounds
- 2XL size: Length 67, Bust 57, Recommended height 170-175, Recommended weight 150-170
- 3XL size: Length 69, Bust 59, Recommended height 175-180, Recommended weight 170-180
- Vest size is for reference only, manual measurement may have 2-3cm error.





Baizhong Town, Minqing County, Fuzhou, Fujian, China Phone: +86 18621754882

### Office in America

Rua Arthur Max Dôose, 153, Sala 1302 Balneário Camboriú - Brazil - Phone: (+55) 47 2033 2231 Contact: comercial@fibramerica.com